TILE LAB GROUT AND TILE SEALER

<u>HMIS</u>	
HEALTH	1
FLAMMABILITY	0
REACTIVITY	0
PERSONAL PROTECTION	Н

1. Product And Company Identification

<u>Supplier</u>

CUSTOM BUILDING PRODUCTS 10400 Pioneer Blvd., Unit #3

Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA Telephone Number: (562) 968-2980 Ext 103

FAX Number: (562) 903-2697 **E-Mail:** georgem@cbpmail.net

Web Site: www.custombuildingproducts.com

Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

Manufacturer

CUSTOM BUILDING PRODUCTS 10400 Pioneer Blvd., Unit #3

Santa Fe Springs, CA 90670 UNITED STATES

Company Contact: GEORGE MARCINA Telephone Number: (562) 968-2980 Ext 103

FAX Number: (562) 903-2697 **E-Mail:** georgem@cbpmail.net

Web Site: www.custombuildingproducts.com

Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: (562) 968-2980

Issue Date: 03/17/2006

Product Name: TILE LAB GROUT AND TILE SEALER

CAS Number: Not Established Chemical Formula: MIXTURE

MSDS Number: 577 Product Code: 3054

2. Composition/Information On Ingredients

Ingredient	CAS	Percent Of
Name	Number	Total Weight
PERFLUOROALKYLMETHACRYLICCOPOLYMER	Not establish	1 - 5

THIS PRODUCT DOES NOT CONTAIN HAZARDOUS CHEMICALS AS DEFINED BY 29 CFR 1910.1200.

3. Hazards Identification

Primary Routes(s) Of Entry

EYES, SKIN AND NOSE.

Eye Hazards

MAY CAUSE IRRITATION, DISCOMFORT, BLURRED VISION.

Skin Hazards

MAY CAUSE IRRITATION, DISCOMFORT OR RASH.

Ingestion Hazards

SWALLOWING SUBSTANTIAL AMOUNTS MAY CAUSE HARM.

Inhalation Hazards

INHALATION OF SPRAY OR MIST MAY CAUSE IRRITATION OF THROAT OR LUNGS. INHALATION OF LARGE AMOUNTS MAY CAUSE PULMONARY EDEMA. SYMPTOMS, SEVERE SHORTNESS OF BREATH MAY BE DELAYED. GET IMMEDIATE MEDICAL ATTENTION. OVER EXPOSURE MAYBE FATAL

TILE LAB GROUT AND TILE SEALER

3. Hazards Identification - Continued

Conditions Aggravated By Exposure

MAY ENHANCE ALLERGIC CONDITIONS.

Conditions Aggravated By Overexposure

PRE EXISTING SKIN CONDITIONS.

4. First Aid Measures

Eye

FLUSH WITH WATER FOR 15 MINUTES. OBTAIN IMMEDIATE MEDICAL ATTENTION.

Skin

FLUSH WITH WATER. WASH CONTAMINATED CLOTHING BEFORE REUSE.

Ingestion

DO NOT INDUCE VOMITTING. IF CONSCIOUS GIVE 2 GLASSES OF WATER OBTAIN MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIUOS PERSON.

Inhalation

REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NECESSARY. IF BREATHING IS DOIFFICULT GIVE OXYGEN. OBTAIN MEDICAL ATTENTION.

5. Fire Fighting Measures

Flash Point: NONE °F Lower Explosive Limit: N/A Upper Explosive Limit: N/A

Fire And Explosion Hazards

NOT APPLICABLE.

Extinguishing Media

PRODUCT IS NON-COMBUSTIBLE.

Fire Fighting Instructions

SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.

6. Accidental Release Measures

IN CASE MATERIAL IS RELEASED OR SPILLED, USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL.

7. Handling And Storage

Handling And Storage Precautions

STORE IN COOL PLACE.

Work/Hygienic Practices

GOOD PRACTICES REQUIRE THAT GROSS AMOUNT OF ANY CHEMICAL BE REMOVED FROM SENSITIVE SKIN AS SOON AS POSSIBLE.

OBSERVE GOOD HOUSEKEEPING PRACTICES.

8. Exposure Controls/Personal Protection

Eye/Face Protection

USE SAFETY GOGGLES.

TILE LAB GROUT AND TILE SEALER

8. Exposure Controls/Personal Protection - Continued

Skin Protection

USE PROTECTIVE GLOVES AS A MINIMUM AND WASH PROMPTLY.

Respiratory Protection

LOCAL EXHAUST VENTILATION IS USUALLY ADEQUATE.

Other/General Protection

LOCAL EXHAUST IS RECOMMENDED.

9. Physical And Chemical Properties

Appearance

PALE LIQUID.

Chemical Type: Mixture Physical State: Liquid Boiling Point: 212 °F 100 °C Specific Gravity: 1.0 Percent Volatiles: 97.5

Vapor Density: HEAVIER THAN AIR.

pH Factor: NEUTRAL
Solubility: FULLY MISCIBLE

Evaporation Rate: SLOWER THAN ETHER.

10. Stability And Reactivity

Stability: STABLE

Hazardous Polymerization: WILL NOT OCCUR.

Conditions To Avoid (Stability)

EXCESSIVE HEAT.

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

13. Disposal Considerations

DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, FEDERAL REGULATIONS, CONCERNING HEALTH AND POLLUTION.

RCRA Information

NOT RCRA WASTE

14. Transport Information

No Data Available...

15. Regulatory Information

No Data Available...

16. Other Information

HMIS Rating Health: 1 Fire: 0

TILE LAB GROUT AND TILE SEALER

16. Other Information - Continued

HMIS Rating - Continued

Reactivity: 0

Personal Protection: H

Revision/Preparer Information

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: 562/968-2980 EXT 103 This MSDS Supercedes A Previous MSDS Dated: 03/16/2006

Disclaimer

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

CUSTOM BUILDING PRODUCTS

Printed Using MSDS Generator™ 2000