# SIGMA-ALDRICH

# **Material Safety Data Sheet**

Version 4.3 Revision Date 01/17/2012 Print Date 05/29/2012

1. PRODUCT AND COMPANY IDENTIFICATION					
Product name	:	Potassium dichromate			
Product Number Brand	:	207802 Sigma-Aldrich			
Supplier	:	Sigma-Aldrich 3050 Spruce Street SAINT LOUIS MO 63103 USA			
Telephone	:	+1 800-325-5832			
Fax	:	+1 800-325-5052			
Emergency Phone # (For both supplier and manufacturer)	:	(314) 776-6555			
Preparation Information	:	Sigma-Aldrich Corporation Product Safety - Americas Region 1-800-521-8956			

# 2. HAZARDS IDENTIFICATION

#### Emergency Overview

#### **OSHA Hazards**

Carcinogen, Target Organ Effect, Highly toxic by inhalation, Highly toxic by ingestion, Highly toxic by skin absorption, Respiratory sensitiser, Corrosive, Teratogen, Mutagen

#### **Target Organs**

Lungs, Kidney, Blood

#### **GHS Classification**

Oxidizing solids (Category 2) Acute toxicity, Oral (Category 2) Acute toxicity, Dermal (Category 1) Acute toxicity, Inhalation (Category 1) Skin corrosion (Category 1B) Serious eye damage (Category 1) Respiratory sensitization (Category 1) Germ cell mutagenicity (Category 1B) Carcinogenicity (Category 1B) Reproductive toxicity (Category 1B) Specific target organ toxicity - repeated exposure, Inhalation (Category 1) Acute aquatic toxicity (Category 1) Chronic aquatic toxicity (Category 4)

#### GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

Hazard statement(s) H272 H300 + H310 H314

May intensify fire; oxidiser. Fatal if swallowed or in contact with skin Causes severe skin burns and eye damage.

H330	Fatal if inhaled.	
H334	May cause allergy or asthma symptoms or breathing diff	iculties if inhaled.
H340	May cause genetic defects.	
H350	May cause cancer.	
H360	May damage fertility or the unborn child.	
H372	Causes damage to organs through prolonged or repeate	d exposure if inhaled.
H400	Very toxic to aquatic life.	•
H413	May cause long lasting harmful effects to aquatic life.	
Precautionary statement(s		
P201	Obtain special instructions before use.	
P220	Keep/Store away from clothing/ combustible materials.	
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.	
P264	Wash hands thoroughly after handling.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/ protective clothing/ eye protection	n/ face protection.
P284	Wear respiratory protection.	
P302 + P350	IF ON SKIN: Gently wash with plenty of soap and water.	
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minu	ites. Remove contact lenses, if
	present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/ physicia	n.
HMIS Classification		
Health hazard:	4	
Chronic Health Hazard:	*	
Flammability:	0	
Physical hazards:	0	
Reactivity:	3	
•		
NFPA Rating	4	
Health hazard:	4	
Fire:	0	
Reactivity Hazard:	3	
Special hazard.:	OX	
Potential Health Effects		
Inhalation	May be fatal if inhaled. Material is extremely destructive	to the tissue of the mucous
	membranes and upper respiratory tract.	
Skin	May be fatal if absorbed through skin. Causes skin burn	S.
Eyes	Causes eye burns.	
Ingestion	May be fatal if swallowed.	
3. COMPOSITION/INFORMATION		
Synonyms	: Potassium bichromate	
Formula	: Cr <sub>2</sub> K <sub>2</sub> O <sub>7</sub>	
Molecular Weight	: 294.18 g/mol	
Component		Concentration
Potassium dichromate		
CAS-No.	7778-50-9	-
EC-No.	231-906-6	
Index No	024 002 00 6	

# **4. FIRST AID MEASURES**

#### **General advice**

Index-No.

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

024-002-00-6

# If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

# In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

# **5. FIREFIGHTING MEASURES**

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

# Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - Potassium oxides, Chromium oxides

## Further information

Use water spray to cool unopened containers.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions

Wear respiratory protection. Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

#### **Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

# Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by wetbrushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal.

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition. Normal measures for preventive fire protection.

#### Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis
Potassium dichromate	7778-50-9	CEIL	0.1 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		TWA	0.0050 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		CEIL	0.0010 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z2
		TWA	0.05 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
Remarks	Confirmed h	uman car	cinoaen	

Substance listed; for more information see OSHA document 1910.1026
See 1910.1026. See Table Z-2 for the exposure limit for any operations or sectors where the exposure limit in 1910.1026 is stayed or are otherwise not in effect.

#### Personal protective equipment

# **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

#### Eye protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Hygiene measures**

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

- lit.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

#### Appearance

-		
	Form	crystalline
	Colour	no data available
Sa	afety data	
	рН	3.5 - 5.0 at 29.4 g/l at 25 °C (77 °F)
	Melting point/freezing point	Melting point/range: 398 °C (748 °F)
	Boiling point	no data available
	Flash point	not applicable
	Ignition temperature	no data available
	Autoignition temperature	no data available
	Lower explosion limit	no data available
	Upper explosion limit	no data available
	Vapour pressure	no data available
	Density	2.680 g/cm3
	Water solubility	ca.29.4 g/l at 20 °C (68 °F)
	Partition coefficient: n-octanol/water	log Pow: 5
	Relative vapour density	no data available
	Odour	no data available

Odour Threshold no data available Evaporation rate no data available

# **10. STABILITY AND REACTIVITY**

#### **Chemical stability**

Stable under recommended storage conditions.

Possibility of hazardous reactions no data available

**Conditions to avoid** no data available

Materials to avoid Organic materials, Do not store near acids., Powdered metals, Hydrazine

#### Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Potassium oxides, Chromium oxides Other decomposition products - no data available

# **11. TOXICOLOGICAL INFORMATION**

#### Acute toxicity

#### Oral LD50

LD50 Oral - rat - 25 mg/kg Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Other. Behavioral:Somnolence (general depressed activity). Behavioral:Ataxia.

# Inhalation LC50

LC50 Inhalation - rat - female - 4 h - 29 mg/m3

# Dermal LD50

LD50 Dermal - rabbit - 14 mg/kg Remarks: Lungs, Thorax, or Respiration:Acute pulmonary edema. Diarrhoea Prolonged skin contact may cause skin irritation and/or dermatitis.

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation no data available

#### Respiratory or skin sensitization

May cause allergic respiratory reaction.

# Germ cell mutagenicity

May alter genetic material. In vivo tests showed mutagenic effects

# Carcinogenicity

This is or contains a component that has been reported to be carcinogenic based on its IARC, OSHA, ACGIH, NTP, or EPA classification.

Possible human carcinogen

- IARC: 1 Group 1: Carcinogenic to humans (Potassium dichromate)
  - 1 Group 1: Carcinogenic to humans (Potassium dichromate)
- NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

# OSHA: 1910.1026 (Potassium dichromate)

# **Reproductive toxicity**

# no data available

# Teratogenicity

Presumed human reproductive toxicant

# Specific target organ toxicity - single exposure (Globally Harmonized System) no data available

#### Specific target organ toxicity - repeated exposure (Globally Harmonized System) Inhalation - Causes damage to organs through prolonged or repeated exposure.

# Aspiration hazard

no data available

#### Potential health effects

Inhalation	May be fatal if inhaled. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract.
Ingestion	May be fatal if swallowed.
Skin	May be fatal if absorbed through skin. Causes skin burns.
Eyes	Causes eye burns.

#### Signs and Symptoms of Exposure

Ulceration, Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.

# Synergistic effects

no data available

# Additional Information

RTECS: HX7680000

# **12. ECOLOGICAL INFORMATION**

#### Toxicity

Toxicity to fish	LC50 - Lepomis macrochirus - 0.131 mg/l - 96.0 h		
	mortality NOEC - Pimephales promelas (fathead minnow) - 6 mg/l - 7.0 d		
Toxicity to daphnia and other aquatic invertebrates	mortality NOEC - Daphnia - 0.016 - 0.064 mg/l - 7 d		
	EC50 - Daphnia magna (Water flea) - 0.035 mg/l - 48 h		
Toxicity to algae	EC50 - Pseudokirchneriella subcapitata - 0.31 mg/l - 72 h		
Persistence and degradability			

#### Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 180 d Bioconcentration factor (BCF): 17.4

# Mobility in soil

no data available

# **PBT and vPvB assessment** no data available

# Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

# **13. DISPOSAL CONSIDERATIONS**

#### Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

## **Contaminated packaging**

Dispose of as unused product.

#### **14. TRANSPORT INFORMATION**

# DOT (US)

UN number: 3086 Class: 6.1 (5.1) Packing group: I Proper shipping name: Toxic solids, oxidizing, n.o.s. (Potassium dichromate) Reportable Quantity (RQ): 10 lbs Marine pollutant: Poison Inhalation Hazard: No

#### IMDG

UN number: 3086 Class: 6.1 (5.1) Packing group: I EMS-No: F-A, S-Q Proper shipping name: TOXIC SOLID, OXIDIZING, N.O.S. (Potassium dichromate) Marine pollutant: Marine pollutant

#### ΙΑΤΑ

UN number: 3086 Class: 6.1 (5.1) Packing group: I Proper shipping name: Toxic solid, oxidizing, n.o.s. (Potassium dichromate) IATA Passenger: Not permitted for transport

# **15. REGULATORY INFORMATION**

#### **OSHA Hazards**

Carcinogen, Target Organ Effect, Highly toxic by inhalation, Highly toxic by ingestion, Highly toxic by skin absorption, Respiratory sensitiser, Corrosive, Teratogen, Mutagen

## SARA 302 Components

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components	CAS-No.	Revision Date
Potassium dichromate	7778-50-9	1993-04-24
SARA 311/312 Hazards Acute Health Hazard, Chronic Health Hazard		
Massachusetts Right To Know Components		
Potassium dichromate	CAS-No. 7778-50-9	Revision Date 1993-04-24
Pennsylvania Right To Know Components		
Potassium dichromate	CAS-No. 7778-50-9	Revision Date 1993-04-24
New Jersey Right To Know Components		
Potassium dichromate	CAS-No. 7778-50-9	Revision Date 1993-04-24
California Prop. 65 Components WARNING! This product contains a chemical known to the State of	CAS-No.	Revision Date

# **16. OTHER INFORMATION**

# **Further information**

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.