

Northwest Janitorial Supply, Inc. 1232 6th Avenue South Seattle, WA 98134 (206) 622-0360

Product Number: 117

Product Name:

Crystal

Clear

## MATERIAL SAFETY DATA SHEET

	N. S. N. S.	<u> Date Prepared:</u>	03-27-01 By Charles D. Wer
SECTION 1 - PRODUCT IDENTIFICATION			
Manufactured For: Northwest Janitorial Supply	Emergency P	hone No:	1-800-228-5635 ext. 059
Address: 1232 6 <sup>th</sup> Ave. South Seattle, WA 98134			
Trade Name: Crystal Clear	Product Type: GLASS CLEANER CONCENTRATE		
Product code: FFLGCPPX	Formula:		
SECTION 2 - HAZARDOUS INGREDIENTS			
Chemical Name/Common Name:	CAS NO.	PERCENT	EXPOSURE LIMIT (Source)
Ethyl Alcohol	64-17-5	< 5	1000 PPM PEL (OSHA)
Dipropylene Glycol Monomethyl Ether	34590-94-8	<10	100 PPM PEL (OSHA)
Sodium Laureth Sulfate	9004-82-4	< 5	unknown
Isopropyl alcohol	67-63-0	20	400 PPM PEL(OSHA)
No toxic chemicals subject to the reporting requirements of section 313 of Titl	e III and of 40 CFR	372 are preser	nt
This product may contain chemicals known to the State of California to cause	cancer or birth defe	cts or other rep	oroductive harm.
SECTION 3 - PHYSICAL DATA			
Boiling Point: (F) 212	Specific Grav	itv: (H2O =	pH: 8.0 - 8.5
olling Point: (F) 212	1.0) 0.91	11.	Pr. 1. 0.0 0.0
Vapor Pressure: (mm/Hg) heavier than air		v: (AIR = 1.0)	2.1
Solubility In Water: Complete		,	
Evaporation Rate (Vs BUTYL ACETATE = 1.0): greater than 1.0			
Appearance and Odor: Liquid, non-viscous, pink color and MILD fragrance			
The same of the sa	ārka etaklik	-Allered	
SECTION 4 - FIRE AND EXPLOSION HAZARD DATA	a principle publication with		endergraph of Francisco Property and Service
	LIDDED 2	LOWED	12 70/
140.1.	UPPER: 2,	LOWER	12.7%
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.			
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  Decial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. D	o not enter confine		
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose	o not enter confine	ed fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou	o not enter confine	ed fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.	o not enter confine	ed fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. D  Jositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose.  Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA	o not enter confine	ed fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. D  positive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable  Incompatibility: non-reactive.	o not enter confine I containers. d be cooled with v	d fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. D  Jositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose  Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.	o not enter confine I containers. d be cooled with v	d fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Duositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose.  Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composition.	o not enter confine I containers. d be cooled with v	d fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  Tipecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Dryositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composition of the companies of the composition of the composit	o not enter confine I containers. d be cooled with v	d fire space wi	ithout full bunker gear, including a
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  "pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shout could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composition Products: Carbon monoxide and unidentified organic composition Product (See Section 2 for Ingredient TLV)  None Established Primary Routes of Exposure: Eve - ves Skin-No Oral-yes	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes	d fire space wi water to preven ed during com	ithout full bunker gear, including a street to the street
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . D  Jositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composed in the companies of the composition	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes  SKIN: Mildly irritatir	ed during com	ithout full bunker gear, including a street to the street
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composition of the companies of the composition of the content of the co	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes  SKIN: Mildly irritating the depression. INGE	ed during com	ithout full bunker gear, including a street to the street
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . D  Jositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composed in the companies of the composed in the composed in the composed in the composed in the content of the cont	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes SKIN: Mildly irritatire m depression. INGE ss., headache, dizzine	ed during comb	ithout full bunker gear, including a street to the street
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composed in the companies of Exposure: Eye - yes Skin-No Oral-yes  Fireshold Limit Value - Product (See Section 2 for Ingredient TLV) None Established Primary Routes of Exposure: Eye - yes Skin-No Oral-yes  Signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous systomal toxicity. Irritation as noted above, early to moderate CNS depression may be evidenced by giddine formations of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monom	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes SKIN: Mildly irritatire depression. INGE ss. headache, dizzine y and liver damage ir	ed during combined to the skin. IN STION: Generall ss, and nausea lab animals.	ithout full bunker gear, including a straight vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acu
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  "pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Depositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Junusual Fire and Explosion Hazards: Containers exposed to intense heat from fires should result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composition Products: carbon monoxide and unidentified organic composition Product (See Section 2 for Ingredient TLV)  None Established Primary Routes of Exposure: Eye - yes Skin-No Oral-yes signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous system to concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous system to civil products. Irritation as noted above, early to moderate CNS depression may be evidenced by giddine symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne Medical Conditions Aggravated by Over-exposure: Persons with pre-existing skin disorders, eye proble	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes  SKIN: Mildly irritating depression. INGE ss., headache, dizzine y and liver damage in the image in	ed during combined to the skin. IN STION: Generall ss, and nausea lab animals.	ithout full bunker gear, including a straight vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acu
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  "pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Dustive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Junusual Fire and Explosion Hazards: Containers exposed to intense heat from fires should result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composition Products: carbon monoxide and unidentified organic composition Product (See Section 2 for Ingredient TLV)  None Established Primary Routes of Exposure: Eve - yes Skin-No Oral-yes (Signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous system of the control of the product CNS depression may be evidenced by giddine symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne Medical Conditions Aggravated by Over-exposure: Persons with pre-existing skin disorders, eye proble Carcinogen or Suspect Carcinogen Ingredients: NTP - NO IARC - NO OSHA	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes  SKIN: Mildly irritating depression. INGE ss., headache, dizzine y and liver damage in the image in	ed during combined to the skin. IN STION: Generall ss, and nausea lab animals.	ithout full bunker gear, including a straight vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acu
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  The pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Dussitive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shout could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composition Products: carbon monoxide and unidentified organic composition Product (See Section 2 for Ingredient TLV)  None Established Primary Routes of Exposure: Eye - yes Skin-No Oral-yes signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous system of Over-exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidney Medical Conditions Aggravated by Over-exposure: Persons with pre-existing skin disorders, eye problem Carcinogen or Suspect Carcinogen Ingredients: NTP - NO IARC - NO OSHA  SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES	o not enter confined containers. d be cooled with volumes may be form  Inhalation-yes SKIN: Mildly irritating depression. INGE ss., headache, dizzine y and liver damage ir ms., impaired respirato-NO	ed during combined to the skin. IN STION: Generall ss, and nausea lab animals.	ithout full bunker gear, including a straight vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acu
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  "pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Duositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Junusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic compositions. Product (See Section 2 for Ingredient TLV)  None Established Primary Routes of Exposure: Eye - yes Skin-No Oral-yes Signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous systomal toxicity. Irritation as noted above, early to moderate CNS depression may be evidenced by giddine symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne Medical Conditions Aggravated by Over-exposure: Persons with pre-existing skin disorders, eye proble Carcinogen or Suspect Carcinogen Ingredients: NTP - NO IARC - NO OSHA  SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES (Syes: Flush with immediately with lots of running water for at least 15 minutes holding eyelids open. Company of the process of the control of the process of the control of the control of the process of the control of the process of the process of the control of the process of the control of the process of	o not enter confined containers. d be cooled with volumes may be form  Inhalation-yes SKIN: Mildly irritating depression. INGE ss., headache, dizzine y and liver damage ir ms., impaired respirato-NO	ed during combined to the skin. IN STION: Generall ss, and nausea lab animals.	ithout full bunker gear, including a straight vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acu
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose.  Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composes of the composition Products: carbon monoxide and unidentified organic composes of Exposure: Eye - yes Skin-No Oral-yes  Signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous systems to acute to the concentrate of the concentration of the concentrate of the concentrate of the concentrate of the concentration of the concentra	o not enter confined containers.  d be cooled with value of the cooled	ed during combined to the skin. IN STION: Generall ss, and nausea lab animals. ry function may recombined to the skin. IN NONE	ithout full bunker gear, including a st vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acumore susceptible to effects.
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composed in the stabilished organic composed in the stabilished organic composed in the stabilished organic	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes SKIN: Mildly irritatirem depression. INGE in the second of the second	ed during combined to the skin. IN STION: Generall so, and nausea lab animals. ry function may reposely, keep victing the stip of the skin. In NONE	ithout full bunker gear, including a set vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acumore susceptible to effects.
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose.  Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composes.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composes.  SECTION 6 - HEALTH HAZARDS  Threshold Limit Value - Product (See Section 2 for Ingredient TLV) None Established Primary Routes of Exposure: Eye - yes Skin-No Oral-yes  Signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous system to toxicity. Irritation as noted above, early to moderate CNS depression may be evidenced by giddine Symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne Medical Conditions Aggravated by Over-exposure: Persons with pre-existing skin disorders, eye proble Carcinogen or Suspect Carcinogen Ingredients: NTP - NO IARC - NO OSHA  SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES  Eyes: Flush with immediately with lots of running water for at least 15 minutes holding eyelids open. Oskin: Wash skin with soap and water. Remove contaminated clothing & shoes. Wash before reuse. Ingestion: INDUCE VOMITING, by giving 2 glasses of water and sticking finger down throat. If vom oreathing vomitus into his lungs. Call physician or poison control center immediately, Treat symptoms.	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes SKIN: Mildly irritatirem depression. INGE in the second of the second	ed during combined to the skin. IN STION: Generall so, and nausea lab animals. ry function may reposely, keep victing the stip of the skin. IN NONE	ithout full bunker gear, including a set vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acumore susceptible to effects.
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . Dositive pressure NIOSH approved self-contained breathing apparatus. Cool fire expose.  Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composed section 2 for Ingredient TLV)  None Established Primary Routes of Exposure: Eye - yes Skin-No Oral-yes  Signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous systomal toxicity. Irritation as noted above, early to moderate CNS depression may be evidenced by giddine symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne Medical Conditions Aggravated by Over-exposure: Persons with pre-existing skin disorders, eye proble Carcinogen or Suspect Carcinogen Ingredients: NTP - NO IARC - NO OSHA  SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES  Eyes: Flush with immediately with lots of running water for at least 15 minutes holding eyelids open. Oskin: Wash skin with soap and water. Remove contaminated clothing & shoes. Wash before reuse.  Ingestion: INDUCE VOMITING, by giving 2 glasses of water and sticking finger down throat. If vom oreathing vomitus into his lungs. Call physician or poison control center immediately. Treat symptom: nhalation: Get to fresh air. Get medical attention if breathing is difficult.	o not enter confined containers.  d be cooled with volumes may be form  Inhalation-yes SKIN: Mildly irritatirem depression. INGE in the second of the second	ed during combined to the skin. IN STION: Generall so, and nausea lab animals. ry function may reposely, keep victing the stip of the skin. IN NONE	ithout full bunker gear, including a set vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acumore susceptible to effects.
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel. Describing pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires shou could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composed SECTION 6 - HEALTH HAZARDS  Threshold Limit Value - Product (See Section 2 for Ingredient TLV) None Established Primary Routes of Exposure: Eye - yes Skin-No Oral-yes  Signs and Symptoms of Over-exposure (Acute): EYES: Contact with concentrate will irritate the eyes. May cause mild irritation to the nose, throat and respiratory tract and may result in central nervous systomal toxicity. Irritation as noted above, early to moderate CNS depression may be evidenced by giddine Symptoms of Over-Exposure (Chronic): Dipropylene Glycol Monomethyl Ether has shown minor kidne Medical Conditions Aggravated by Over-exposure: Persons with pre-existing skin disorders, eye proble Carcinogen or Suspect Carcinogen Ingredients: NTP - NO IARC - NO OSHA  SECTION 7 - EMERGENCY AND FIRST AID PROCEDURES  Eyes: Flush with immediately with lots of running water for at least 15 minutes holding eyelids open. Oskin: Wash skin with soap and water. Remove contaminated clothing & shoes. Wash before reuse. Ingestion: INDUCE VOMITING, by giving 2 glasses of water and sticking finger down throat. If vom oreathing vomitus into his lungs. Call physician or poison control center immediately, Treat symptom inhalation: Get to fresh air. Get medical attention if breathing is difficult.  SECTION 8 - SPECIAL PROTECTION INFORMATION	o not enter confined containers. d be cooled with values and be cooled with values and be form  Inhalation-yes SKIN: Mildly irritating depression. INGEss, headache, dizzine y and liver damage in ms, impaired respirate-NO Set medical attention. Set medical attention.	ed during come  g to the skin. IN STION: Generall ss, and nausea lab animals. ry function may r NONE	ithout full bunker gear, including a set vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acumore susceptible to effects.
Extinguishing Media: Use water fog, "alcohol" Foam, Dry Chemical or CO2.  'pecial Fire Fighting Procedures: FLAMMABLE Clear area of unprotected personnel . Depositive pressure NIOSH approved self-contained breathing apparatus. Cool fire exposed Unusual Fire and Explosion Hazards: Containers exposed to intense heat from fires should could result in container rupture.  SECTION 5 - REACTIVE DATA  Stability: Stable Incompatibility: non-reactive.  Hazardous Decomposition Products: carbon monoxide and unidentified organic composed to intense heat from fires should be a stability of the product of the prod	o not enter confined containers. d be cooled with values and be cooled with values and be form  Inhalation-yes SKIN: Mildly irritating depression. INGEs, headache, dizzine y and liver damage in ms, impaired respirate-NO Set medical attention. Set medical attention. Set medical attention.  Adequate ven	ed during come  g to the skin. IN STION: Generall ss, and nausea lab animals. ry function may r NONE	ithout full bunker gear, including a set vapor pressure buildup which bustion.  Other HALATION: y considered to have a low order of acumore susceptible to effects.

## SECTION 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken if Released or Spilled: WARNING FLAMMABLE – ELIMINATE ALL IGNITION SOURCES. handling equipment must be ground before using to prevent sparking. For small spills, mop or wipe up and contain. For large spills, contain by diking with absorbent material and contain.

/aste Disposal Methods: Note that the contaminates of the product must be consider when disposing. Consult appropriate Federal, State and Local regulatory agencies to ascertain proper disposal procedures and comply with them.

## SECTION 10 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken in Handling and Storage: FLAMMABLE – KEEP AWAY FROM HEAT AND FLAME. Do not mix chemicals. This product is Flammable. This product is NON-HAZARDOUS for transport according to DOT/UN regulations. Note: solutions of alcohol containing 24% or less alcohol and at least 50% water maybe reclassified as a combustible, and are excepted from flammable labeling. Keep container tightly closed when not in use.